ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 7				
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/O						/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2003NOV24	ER/CAL		JISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4		
6. ISSUED BY CODE W56HZV						7. ADMINIST		CRED BY (If other than 6) CODE S				8. DELIVERY FOB		
TACOM WARREN BLDG 231 AMSTA-AQ-AHPC SHIRLEY GHARAGOZLOO (586)574-7163 WARREN, MICHIGAN 48397-5000 EMAIL: GHARAGOS@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL							A DETROIT . ARMY TANK & TACOM) N: DCMAE-GJI REN, MI 483		DESTINATION  X OTHER (See Schedule if					
9. CONTR	ACTOR			CODE	72582	SCD: B			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)	37	other) 11. X IF BUSINESS IS		
	•				•	_	•	(Y	YYYMMMDI	<b>D</b> )		SMALL		
			DIESEL CORP. TER DRIVE WEST					SEE		SMALL				
NAME AND			MI. 48239-4001					12. DI NET	SCOUNT TEI	RMS		DISADVANTAGED		
ADDRESS	;							INEL				WOMAN-OWNED		
	•						•	13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK			
	TYPE E	BUSI	NESS: Large Bus	siness I	Performing	g in U.S.		See	Block 15	5				
14. SHIP 7				CODE			T WILL BE MADE		ID.	COD	E HQ0337	MARK ALL PACKAGES AND		
SEE	SCHEDULE						S - COLUMBUS S-CO/NORTH EN			RATION		PAPERS WITH IDENTIFICATION		
							. BOX 182266 UMBUS OH 4	13218-	2266			NUMBERS IN		
	·	_										BLOCKS 1 AND 2		
16. TYPE	DELIVERY/ CALL	х	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER O	GOVERNMENT AG	GENCY OR IN ACCORI	DANCE W	ITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.		
OF ORDER	PURCHASE		Reference your		specified herein.	pecified herein.								
										MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.		
										SIGNED /MMMDD)				
	OUNTING AND A	APPI	ROPRIATION DATA/LO	OCAL USE										
18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICE							20. QUANTITY ORDERED/	7	21.	22. UNIT PRICE	23. AMOUNT			
							ACCEPTED*		UNIT					
SEE SCHEDULE CONTRACT TYPE: Fixed-Price Economic Price Adjustment KIND OF CONTRACT:														
			ly Contracts and									1		
	accepted by the nantity ordered,			4. UNITED		ENNIS /SIGN			25. TOTAL 26.	\$502,176.00				
	t, enter actual qu rdered and encir		ty accepted below B	BY:	DENNISE@	TACOM.ARMY	.MIL (586)574			RDERING OFFICER	DIFFERENCE	S		
27a. QUAI	NTITY IN COLU	UMN	20 HAS BEEN											
	PECTED		ECEIVED A IZED GOVERNMENT I			ORMS TO CONT	c. DATE	NOTEI		D NAME AND TITLE	OF AUTHORIZE	D GOVERNMENT		
<i>5</i> , 510.111					,		(YYYYMMMD	D)		SENTATIVE	01.1011101112	2 00 (211.1.122.1)		
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE							28. SHIP. NO.	28. SHIP. NO. 29. D.O. VOUCHER NO.			30. INITIALS			
								32. PAID BY			33. AMOUNT V	/ERIFIED CORRECT FOR		
f. TELEPHONE NUMBER g. E-MAIL ADDRESS							FINAL	PARTIAL FINAL						
							31. PAYMENT					CK NUMBER		
36. I CER	TIFY THIS ACC	COU	NT IS CORRECT AND I	PROPER F	OR PAYMENT	T.	COMPI	COMPLETE						
a. DATE		$\neg$	b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	PARTIA	35. BILL OF LADING NO.						
(YYYYM!	MMDD)						FINAL							
37. RECEIVED AT  38. RECEIVED BY (Print)  39. DATE RECEIVED (YYYYMMMDD)  40. TOTAL CONTAINERS  41. S/R ACCOUNT NUMBER 42. S							42. S/R VOUCHER NO.							

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-01-D-M005/0031 MOD/AMD

Page 2 of 7

Name of Offeror or Contractor: DETROIT DIESEL CORP.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2815-01-246-0903 FSCM: 19207 PART NR: 5705596 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	19	EA	\$ 20,924.00000	\$ 397,556.00
	NOUN: ENGINE, W CONTAINER PRON: EH4RA801EH PRON AMD: 02 ACRN: AA AMS CD: 060011				
	Engine, Diesel, DDC Model 5063-5392, Series 6V53 (including 57T-51 Preservation) with container for use in the M548A3				
	(End of narrative C001)				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	PQA for Diesel Engines: Detroit Diesel Corporation Detroit, MI				
	PQA for Metal Containers and Containerization: Armor Metal Madison, IN				
	ACCEPTANCE/FOB POINT for Diesel Engines in Containers: Armor Metal Madison, IN				
	(End of narrative F001)				
	Deliveries or Performance  DOC SUPPL  REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD  001 W56HZV3307T642 W25G1U J 2				

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-01-D-M005/0031 MOD/AMD

**Page** 3 **of** 7

Name of Offeror or Contractor: DETROIT DIESEL CORP.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	DEL REL CD QUANTITY DEL DATE				
	001 10 31-MAR-2004				
	002 9 30-APR-2004				
	FOB POINT: Origin				
	SHIP TO: PARCEL POST ADDRESS  (W25G1U) XU TRANSPORTATION OFFICER  DDSP NEW CUMBERLAND FACILITY  BUILDING MISSION DOOR 113 134  NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER DAAE07-01-D-M005/0031				
	DELIVERY ACCELERATION IS ACCEPTABLE PROVIDED THERE IS NO ADDITIONAL COST TO THE GOVERNMENT.				
	(End of narrative F002)				
0002	NSN: 2815-01-246-0903 FSCM: 19207 PART NR: 5705596 SECURITY CLASS: Unclassified				
0002AA	PRODUCTION QUANTITY	5	EA	\$ 20,924.00000	\$104,620.00
	NOUN: ENGINE WITH CONTAINER PRON: EH4A6512EH PRON AMD: 01 ACRN: AA AMS CD: 060011				
	Engine, Diesel, DDC Model 5063-5392, Series 6V53 (including 57T-51 Preservation) with container for use in the M548A3				
	(End of narrative C001)				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A				

# Reference No. of Document Being Continued PIIN/SIIN DAAE07-01-D-M005/0031 MOD/AMD

Page 4 of 7

Name of Offeror or Contractor: DETROIT DIESEL CORP.

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	PQA for Diesel Engines: Detroit Diesel Corporation				
	Detroit, MI				
	PQA for Metal Containers and Containerization:				
	Armor Metal				
	Madison, IN				
	ACCEPTANCE/FOB POINT for Diesel Engines in				
	Containers: Armor Metal				
	Madison, IN				
	(End of narrative F001)				
	Deliveries or Performance DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	001 W56HZV3300T643 W25G1U J 2				
	DEL REL CD         QUANTITY         DEL DATE           001         5         30-APR-2004				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS				
	(W25G1U) XU TRANSPORTATION OFFICER				
	DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134				
	NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER				
	DAAE07-01-D-M005/0031				
	DELIVERY ACCELERATION IS ACCEPTABLE PROVIDED				
	THERE IS NO ADDITIONAL COST TO THE GOVERNMENT.				
	(End of narrative F002)				

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE07-01-D-M005/0031

MOD/AMD

Page 5 of 7

Name of Offeror or Contractor: DETROIT DIESEL CORP.

PACKAGING AND MARKING

Regulatory Cite \_\_\_\_\_ Title \_\_\_\_ Date

1 52.211-4515 PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS) SEP/2003

(TACOM)

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

(1) LEVEL OF PRESERVATION: Military

(2) LEVEL OF PACKING: A

QUANTITY PER UNIT PACKAGE: 001

- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK12460903
  - a. REVISION As listed in the Technical Data Package
  - b. DATE OF REVISION As listed in the Technical Data Package
- (b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
  - (c) Marking:
- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <a href="http://www.easysoftcorp.com/products/Software/MSL.html">http://www.easysoftcorp.com/products/Software/MSL.html</a>. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE07-01-D-M005/0031

MOD/AMD

Page 6 of 7

Name of Offeror or Contractor: DETROIT DIESEL CORP.

- (e) Hazardous Materials(As applicable):
  - (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO

P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

- (f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
  - (f) SUPPLEMENTAL INSTRUCTIONS: Use Data Sheet 5705596, Rev. A, dated 12 Jun 1987.

[End of Clause]

	CONTINI	T A TE	ION	CIII	<b>E</b> T	Reference No. of Document Being Continued						Page 7 of 7
	CONTINU	UAI.	ION	SHE	E I	PHN/SHN DAAE07-01-D-M005/0031			MOD/AMD			
Name	of Offeror or	Cont	ractor	DET	ROIT DIESEI	CORP.						
CONTRAC	T ADMINISTRA	TION I	DATA									
	PRON/								JOB			
LINE ITEM	AMS CD/ MIPR	ACRN	OBLG	N C C O	INTENC CIA	SSIFICATION			ORDER NUMBER	ACCOUNTI STATION	NG	OBLIGATED AMOUNT
0001AA	EH4RA801EH	AA	2	97	X4930AC9D		26KB	S20113	NOMBER	W56HZV	\$	397,556.00
	060011											
0002AA	ЕН4А6512ЕН	AA	2	97	X4930AC9D	6D	26KB	S20113		W56HZV	\$	104,620.00
	060011											
										TOTAL	\$	502,176.00
SERVICE									ACCOU	NTTNG		OBLIGATED
NAME		L BY	<u>ACRN</u>	ACCO	UNTING CLA	SSIFICATION			STATI	-		AMOUNT
Army		AA		97	X4930AC9D	6D	26KB	S20113	W56HZ	V	\$_	502,176.00

TOTAL \$ 502,176.00